## What is claimed is:

5

10

15

20

25

## 1. A compound according to formula (I),

$$R_1$$
 $R_2$ 
 $A$ 
 $R_{A1-A4}$ 
 $R_3$ 
 $(I),$ 

or a therapeutically suitable salt or prodrug thereof, wherein

 $R_{\rm l}$  is a member selected from the group consisting of hydrogen, alkyl, alkoxy, aryl, arylalkyl, cyano, cycloalkyl, cycloalkylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkyl, heterocycle, heterocyclealkyl, hydroxy, mercapto, nitro, and  $-NR_AR_B$ ;

R<sub>A</sub> and R<sub>B</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, and formyl;

R<sub>2</sub> is a member selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxycarbonyl, aryl, arylalkyl, cyano, cycloalkyl, cycloalkylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkyl, heterocycle, heterocyclealkyl, hydroxy, mercapto, nitro, -NR<sub>C</sub>R<sub>D</sub>, and (NR<sub>C</sub>R<sub>D</sub>)alkyl;

R<sub>C</sub> and R<sub>D</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkenyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, cycloalkyl, cycloalkylalkyl, formyl, and hydroxyalkyl;

R<sub>3</sub> is a member selected from the group consisting of alkenyl, alkenylalkoxyalkyl, alkenyloxy, alkenyloxyalkyl, alkoxyalkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfinyl, alkylsulfinylalkyl, alkynyl, alkynylalkoxyalkyl, alkynyloxyalkyl, aryl, arylalkoxy, arylalkoxyalkyl, arylalkyl, arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyanoalkyl, cycloalkenyl, cycloalkenylalkoxy, cycloalkenylalkylthio, cycloalkenylalkylthio, cycloalkenylalkylthio, cycloalkenylalkylthio,

cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkylthioalkyl, cycloalkyloxy, cycloalkyloxyalkyl, cycloalkylthio, cycloalkylthioalkyl, formyl, haloalkoxy, halogen, heteroarylalkoxy, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heterocyclealkoxy, heterocyclealkoxy, heterocyclealkoxy, heterocyclealkyl, heterocyclealkylthio,

heterocyclealkyl, heterocyclealkyl, heterocyclealkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>E</sub>R<sub>H</sub>, (NR<sub>E</sub>R<sub>H</sub>)alkyl, (NR<sub>E</sub>R<sub>F</sub>)carbonylalkenyl (NR<sub>E</sub>R<sub>F</sub>)carbonylalkyl, (NR<sub>E</sub>R<sub>F</sub>)sulfonyl, and (NR<sub>E</sub>R<sub>F</sub>)sulfonylalkyl;

 $R_E$  and  $R_F$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, alkylthioalkylcarbonyl, alkylthiocarbonyl, aryl, arylalkoxyalkyl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, heterocyclecarbonyl,  $(NZ_1Z_2)$ alkyl, and  $(NZ_1Z_2)$ carbonyl;

Z<sub>1</sub> and Z<sub>2</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

R<sub>4</sub> is a member selected from the group consisting of alkenyl, alkenyloxy, alkenyloxyalkyl, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkylcarbonyl, alkylcarbonylakyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyloxy, alkynyloxyalkyl, aryl, arylalkoxy, arylalkoxyalkyl, arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkenylalkoxy, cycloalkenylalkoxy, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenyloxy,

cycloalkenyloxyalkyl, cycloalkenylthio, cycloalkenylthioalkyl, cycloalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, cycloalkylalkylthio, cycloalkylalkylthioalkyl, cycloalkyloxy, cycloalkyloxyalkyl, cycloalkylthio, cycloalkylthioalkyl, formyl, formylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocyclealkoxy, heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>G</sub>R<sub>H</sub>, (NR<sub>G</sub>R<sub>H</sub>)alkyl, (NR<sub>G</sub>R<sub>H</sub>)carbonyl, and (NR<sub>G</sub>R<sub>H</sub>)sulfonyl;

65

70

75

80

85

90

 $R_G$  and  $R_H$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylalkyl, cycloalkylalkyl, formyl, heteroaryl, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclearbonyl,  $(NZ_3Z_4)$ alkyl, and  $(NZ_3Z_4)$ carbonyl;

Z<sub>3</sub> and Z<sub>4</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

A is a member selected from the group consisting of aryl, cycloalkyl, cycloalkenyl, heteroaryl, and heterocycle;

R<sub>A1</sub>, R<sub>A2</sub>, R<sub>A3</sub>, and R<sub>A4</sub> are each independently a member selected from the group consisting of hydrogen, alkenyl, alkenyloxy, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylcarbonylalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyl, aryl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkyl, formyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heterocyle, hydroxy,

hydroxyalkyl, mercapto, nitro, -NR<sub>J</sub>R<sub>K</sub>, (NR<sub>J</sub>R<sub>K</sub>)alkyl, (NR<sub>J</sub>R<sub>K</sub>)carbonyl, and (NR<sub>J</sub>R<sub>K</sub>)sulfonyl; and

 $R_J$  and  $R_K$  are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, and formyl.

## 2. A compound according to formula (Ia),

95

5

10

15

20

$$\begin{array}{c|c}
R_{C} & R_{D} & R_{4} \\
R_{A} & R_{A1-A4} \\
R_{B} & R_{3}
\end{array}$$
(Ia),

or a therapeutically suitable salt or prodrug thereof, wherein

R<sub>A</sub> and R<sub>B</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, and formyl;

 $R_{C}$  and  $R_{D}$  are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkenyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, cycloalkyl, cycloalkylalkyl, formyl, and hydroxyalkyl;

R<sub>3</sub> is a member selected from the group consisting of alkenyl, alkenylalkoxyalkyl, alkenyloxy, alkenyloxyalkyl, alkoxyalkoxy, alkoxyalkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbony, alkoxycarbonylalkyl, alkoxysulfonyl, alkylcarbonyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyl, alkynyloxyalkyl, aryl, arylalkoxy, arylalkoxyalkyl, arylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkylalkyl, cycloalkyl, cycloalkylalkyl, cycloalkyl, cycloal

heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocycle, heterocyclealkoxy, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>E</sub>R<sub>H</sub>, (NR<sub>E</sub>R<sub>H</sub>)alkyl, (NR<sub>E</sub>R<sub>F</sub>)carbonylalkenyl (NR<sub>E</sub>R<sub>F</sub>)carbonylalkyl, (NR<sub>E</sub>R<sub>F</sub>)sulfonyl, and (NR<sub>E</sub>R<sub>F</sub>)sulfonylalkyl;

 $R_E$  and  $R_F$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, alkylthioalkylcarbonyl, alkylthiocarbonyl, aryl, arylalkoxyalkyl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, heterocyclecarbonyl,  $(NZ_1Z_2)$ alkyl, and  $(NZ_1Z_2)$ carbonyl;

Z<sub>1</sub> and Z<sub>2</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

R<sub>4</sub> is a member selected from the group consisting of alkenyl, alkenyloxy, alkenyloxyalkyl, alkoxy, alkoxyalkoxy, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylcarbonyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, arylalkyl, arylalkyl, arylalkyl, arylalkylthio, arylalkylthio, arylalkylthio, arylalkylthio, arylalkylthio, cycloalkenylalkyl, cycloalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkyl, cycloalkenylalkyl, cycloalkylalkyl, cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkylthio, cycloalkylalkylthio, cycloalkylalkylthio, cycloalkylalkylthio, cycloalkylalkylthio, cycloalkylalkylthio,

cycloalkylthioalkyl, formyl, formylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocycle, heterocyclealkoxy, heterocyclealkoxyalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>G</sub>R<sub>H</sub>, (NR<sub>G</sub>R<sub>H</sub>)alkyl, (NR<sub>G</sub>R<sub>H</sub>)carbonyl, and (NR<sub>G</sub>R<sub>H</sub>)sulfonyl;

60

65

70

75

80

85

 $R_G$  and  $R_H$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, arylalkylthioalkyl, arylalkylthioalkyl, arylalkyl, arylalkoxyalkyl, arylalkyl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylcarbonyl, heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclecarbonyl,  $(NZ_3Z_4)$ alkyl, and  $(NZ_3Z_4)$ carbonyl;

Z<sub>3</sub> and Z<sub>4</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

R<sub>A1</sub>, R<sub>A2</sub>, R<sub>A3</sub>, and R<sub>A4</sub> are each independently a member selected from the group consisting of hydrogen, alkenyl, alkenyloxy, alkoxy, alkoxyalkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylcarbonylalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyl, aryl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkyl, formyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heterocyle, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>J</sub>R<sub>K</sub>, (NR<sub>J</sub>R<sub>K</sub>)alkyl, (NR<sub>J</sub>R<sub>K</sub>)carbonyl, and (NR<sub>J</sub>R<sub>K</sub>)sulfonyl; and

 $R_J$  and  $R_K$  are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, and formyl.

## 3. A compound according to formula (Ib),

$$H_2N$$
 $N$ 
 $R_3$ 
(Ib),

or a therapeutically suitable salt or prodrug thereof, wherein

R<sub>3</sub> is a member selected from the group consisting of alkenyl, 5 alkenylalkoxyalkyl, alkenyloxy, alkenyloxyalkyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbony, alkoxycarbonylalkyl, alkoxysulfonyl, alkylcarbonyl, alkylcarbonylalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyl, alkynylalkoxyalkyl, alkynyloxy, alkynyloxyalkyl, aryl, arylalkoxy, arylalkoxyalkyl, 10 arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyanoalkyl, cycloalkenyl, cycloalkenylalkoxy, cycloalkenylalkoxyalkyl, cycloalkenylalkyl, cycloalkenylalkylthio, cycloalkenylalkylthioalkyl, cycloalkenyloxy, cycloalkenyloxyalkyl, cycloalkenylthio, cycloalkenylthioalkyl, cycloalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, 15 cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkylthioalkyl, cycloalkyloxy, cycloalkyloxyalkyl, cycloalkylthio, cycloalkylthioalkyl, formyl, haloalkoxy, halogen, 1 heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocycle, heterocyclealkoxy, 20 heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>E</sub>R<sub>H</sub>, (NR<sub>E</sub>R<sub>H</sub>)alkyl, (NR<sub>E</sub>R<sub>F</sub>)carbonylalkenyl (NR<sub>E</sub>R<sub>F</sub>)carbonylalkyl, (NR<sub>E</sub>R<sub>F</sub>)sulfonyl, and (NR<sub>F</sub>R<sub>F</sub>)sulfonylalkyl; 25

R<sub>E</sub> and R<sub>F</sub> are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl,

alkylthioalkylcarbonyl, alkylthiocarbonyl, aryl, arylalkoxyalkyl, arylalkyl, arylalkyl, arylalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, heterocyclecarbonyl,  $(NZ_1Z_2)$ alkyl, and  $(NZ_1Z_2)$ carbonyl;

30

35

40

45

50

55

60

Z<sub>1</sub> and Z<sub>2</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

R<sub>4</sub> is a member selected from the group consisting of alkenyl, alkenyloxy, alkenyloxyalkyl, alkoxy, alkoxyalkoxy, alkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylcarbonylalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyl, alkynyloxy, alkynyloxyalkyl, aryl, arylalkoxy, arylalkoxyalkyl, arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkenyl, cycloalkenylalkoxy, cycloalkenylalkoxyalkyl, cycloalkenylalkyl, cycloalkenylalkylthio, cycloalkenylalkylthioalkyl, cycloalkenyloxy, cycloalkenyloxyalkyl, cycloalkenylthio, cycloalkenylthioalkyl, cycloalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkylthioalkyl, cycloalkyloxy, cycloalkyloxyalkyl, cycloalkylthio, cycloalkylthioalkyl, formyl, formylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthio, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocycle, heterocyclealkoxy, heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>G</sub>R<sub>H</sub>, (NR<sub>G</sub>R<sub>H</sub>)alkyl, (NR<sub>G</sub>R<sub>H</sub>)carbonyl, and (NR<sub>G</sub>R<sub>H</sub>)sulfonyl;

R<sub>G</sub> and R<sub>H</sub> are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, alkylthioalkylcarbonyl, alkylthiocarbonyl, arylalkoxyalkyl, arylalkyl,

arylcarbonyl, cycloalkyl, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkyl, heteroarylalkyl, heteroarylalkyl, heterocyclealkoxyalkyl, heterocyclealkyl, heterocyclearbonyl,  $(NZ_3Z_4)$ alkyl, and  $(NZ_3Z_4)$ carbonyl; and

65

Z<sub>3</sub> and Z<sub>4</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl.

4. A compound according to claim 3, that is a member selected from the group consisting of

6-[(Benzyloxy)methyl]-5-{4-[(4-chlorobenzyl)amino]phenyl}pyrimidine-2,4-diamine;

5

10

15

20

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-(methoxymethyl)pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2-fluoro-3-methylbenzyl)oxy]methyl}pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-(3-phenylpropyl)pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-(phenoxymethyl)pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(3-methylbenzyl)oxy]methyl}pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2-

methoxybenzyl)oxy]methyl}pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(3-methoxybenzyl)oxy]methyl}pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(4-methoxybenzyl)oxy]methyl}pyrimidine-2,4-diamine;

5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2-fluorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;

```
5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(4-
       fluorobenzyl)oxy[methyl]pyrimidine-2,4-diamine;
              5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2-
25
       chlorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;
              5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(4-
       chlorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;
              6-{[(2-Bromobenzyl)oxy]methyl}-5-{4-[(4-
       chlorobenzyl)amino|phenyl}pyrimidine-2,4-diamine;
30
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-({[3-
       (trifluoromethyl)benzyl]oxy}methyl)pyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-({[4-
       (methylthio)benzyl]oxy}methyl)pyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2,4-
35
        dimethylbenzyl)oxylmethyl}pyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(3,5-
        dimethylbenzyl)oxy]methyl}pyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2,3-
        dichlorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;
40
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2,5-
        dichlorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;
               5-{4-[(1,3-Benzodioxol-4-ylmethyl)amino]phenyl}-6-
        [(benzyloxy)methyl]pyrimidine-2,4-diamine;
               tert-butyl 2-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
45
        yl}phenyl)amino]ethylcarbamate;
               6-[(Benzyloxy)methyl]-5-{4-[(3-furylmethyl)amino]phenyl}pyrimidine-2,4-
        diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(tetrahydrofuran-3-
        ylmethyl)amino]phenyl}pyrimidine-2,4-diamine;
50
               4-Chloro-N-(4-{2,4-diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)benzamide;
               6-[(Benzyloxy)methyl]-5-{4-[(pyridin-2-ylmethyl)amino]phenyl}pyrimidine-
        2,4-diamine;
```

```
6-[(Benzyloxy)methyl]-5-{4-[(pyridin-3-ylmethyl)amino]phenyl}pyrimidine-
55
       2,4-diamine;
              6-[(Benzyloxy)methyl]-5-{4-[(1H-imidazol-4-
       ylmethyl)amino]phenyl}pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-[4-(dimethylamino)phenyl]pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-[4-(methylamino)phenyl]pyrimidine-2,4-diamine;
60
              6-[(Benzyloxy)methyl]-5-[4-(ethylamino)phenyl]pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-[4-(propylamino)phenyl]pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-[4-(isobutylamino)phenyl]pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-[4-(neopentylamino)phenyl]pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-{4-[(cyclopropylmethyl)amino]phenyl}pyrimidine-
65
       2,4-diamine;
              2-Butoxy-N-(4-{2,4-diamino-6-[(benzyloxy)methyl]pyrimidin-5-
       yl}phenyl)acetamide;
              5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-tetrahydrofuran-2-ylpyrimidine-2,4-
       diamine;
70
              6-[(2-Butoxyethoxy)methyl]-5-{4-[(4-
       chlorobenzyl)amino]phenyl}pyrimidine-2,4-diamine;
              6-[(Benzyloxy)methyl]-5-{4-[(1-ethylpropyl)amino]phenyl}pyrimidine-2,4-
       diamine;
              4-{[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
75
       yl}phenyl)amino]methyl}benzonitrile;
              4-{[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)(methyl)amino]methyl}benzonitrile;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-[(3-
        methylbutoxy)methyl]pyrimidine-2,4-diamine;
80
              N-(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)propanamide;
               6-[(Benzyloxy)methyl]-5-{4-[(pyridin-4-ylmethyl)amino]phenyl}pyrimidine-
        2,4-diamine;
               N-(4-Chlorobenzyl)-N-(4-{2,4-diamino-6-[(benzyloxy)methyl]pyrimidin-5-
85
        yl}phenyl)acetamide;
```

```
4-Chlorobenzyl(4-{2,4-diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)formamide;
               6-[(Benzyloxy)methyl]-5-{4-[(1H-imidazol-2-
        ylmethyl)amino]phenyl}pyrimidine-2,4-diamine;
90
               6-[(Benzyloxy)methyl]-5-(4-{[(6-chloropyridin-3-
        yl)methyl]amino}phenyl)pyrimidine-2,4-diamine;
               N-benzyl-3-(2,6-diamino-5-{4-[(4-chlorobenzyl)amino]phenyl}pyrimidin-4-
        yl)propanamide;
95
               3-(2,6-Diamino-5-{4-[(4-chlorobenzyl)amino]phenyl}pyrimidin-4-yl)-N-
        phenylpropanamide;
               6-[(Benzyloxy)methyl]-5-{4-[(1-pyridin-4-ylethyl)amino]phenyl}pyrimidine-
        2,4-diamine;
               4-{1-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)amino]ethyl}benzonitrile;
100
               6-[(Benzyloxy)methyl]-5-{4-[(4-methoxybenzyl)amino|phenyl}pyrimidine-
        2,4-diamine;
               6-[(Benzyloxy)methyl]-5-(4-{[1-(4-
        chlorophenyl)ethyl]amino}phenyl)pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(cyclohexylmethyl)amino]phenyl}pyrimidine-
105
        2,4-diamine;
               N-butyl-3-(2,6-diamino-5-{4-[(4-chlorobenzyl)amino]phenyl}pyrimidin-4-
        yl)propanamide;
               3-(2,6-Diamino-5-{4-[(4-chlorobenzyl)amino]phenyl}pyrimidin-4-yl)-N-(3-
        methylphenyl)propanamide;
110
               6-[(Benzyloxy)methyl]-5-{4-[(4-chlorobenzyl)oxy]phenyl}pyrimidine-2,4-
        diamine;
               6-[(Benzyloxy)methyl]-5-(4-{[(4-
        chlorobenzyl)amino]methyl}phenyl)pyrimidine-2,4-diamine;
               5-[4-(Benzylamino)phenyl]-6-[(benzyloxy)methyl]pyrimidine-2,4-diamine;
115
               6-[(Benzyloxy)methyl]-5-(4-{[(4-
        nitrophenyl)aminolmethyl\phenyl)pyrimidine-2,4-diamine;
```

N-(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-yl}benzyl)-N'-

```
propylurea;
               4-{[(4-{2,4-Diamino-6-[(cyclobutylmethoxy)methyl]pyrimidin-5-
120
        yl}phenyl)amino|methyl}benzonitrile;
               4-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenoxy)methyl]benzonitrile;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-[(tetrahydro-2H-pyran-2-
125
        ylmethoxy)methyl]pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-[4-({[6-(trifluoromethyl)pyridin-3-
        yl]methyl}amino)phenyl]pyrimidine-2,4-diamine;
               4-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}benzyl)amino]benzonitrile;
               3-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
130
        yl}phenoxy)methyl]benzonitrile;
               5-{[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)amino]methyl}pyridine-2-carbonitrile;
               6-[(Benzyloxy)methyl]-5-{4-[2-(4-chlorophenyl)ethoxy]phenyl}pyrimidine-
        2,4-diamine;
135
               6-[(Benzyloxy)methyl]-5-[4-(pyridin-3-ylmethoxy)phenyl]pyrimidine-2,4-
        diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(tetrahydro-2H-pyran-4-
        ylmethyl)amino]phenyl}pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-(4-{[4-
140
        (trifluoromethoxy)benzyl]amino}phenyl)pyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-
        [(cyclohexylmethoxy)methyl]pyrimidine-2,4-diamine;
               4-{[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}phenyl)amino]methyl}pyridine-2-carbonitrile;
145
               6-[(4-{2,4-Diamino-6-[(benzyloxy)methyl]pyrimidin-5-
        yl}benzyl)amino]nicotinonitrile;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(3-
        chlorobenzyl)oxy]methyl}pyrimidine-2,4-diamine;
```

```
5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-{[(2-
150
        methylbenzyl)oxy]methyl}pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(4-nitrobenzyl)amino]phenyl}pyrimidine-2,4-
        diamine;
               6-[(Benzyloxy)methyl]-5-(4-{[(2-chloropyridin-4-
        yl)methyl]amino}phenyl)pyrimidine-2,4-diamine;
155
               6-[(Benzyloxy)methyl]-5-{4-[(pyrimidin-5-
        ylmethyl)amino|phenyl}pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(thien-2-ylmethyl)amino]phenyl}pyrimidine-
        2,4-diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(thien-3-ylmethyl)amino]phenyl}pyrimidine-
160
        2,4-diamine;
               6-[(Benzyloxy)methyl]-5-[4-({[1-(4-
        chlorophenyl)ethyl]amino}methyl)phenyl]pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-(4-{[2-(4-
        nitrophenyl)ethyl]amino}phenyl)pyrimidine-2,4-diamine;
165
               6-[(Benzyloxy)methyl]-5-(4-{[2-(4-
        chlorophenyl)ethyllamino}phenyl)pyrimidine-2,4-diamine;
               6-[(Benzyloxy)methyl]-5-{4-[(cycloheptylamino)methyl]phenyl}pyrimidine-
        2,4-diamine; and
               6-Benzyloxymethyl-5-[4-(pyridin-4-ylmethoxy)-phenyl]-pyrimidine-2,4-
170
        diamine.
        5.
               A compound according to claim 3, that is a member selected from the group
        consisting of
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-ethylpyrimidine-2,4-diamine;
               4-({[4-(2,4-Diamino-6-ethylpyrimidin-5-
        yl)phenyllamino}methyl)benzonitrile;
  5
               5-{4-[(3,4-Dichlorobenzyl)amino]phenyl}-6-ethylpyrimidine-2,4-diamine;
               5-{4-[(4-Chlorobenzyl)amino]phenyl}-6-propylpyrimidine-2,4-diamine;
```

5-(4-{[2-(Benzyloxy)ethyl]amino}phenyl)-6-ethylpyrimidine-2,4-diamine; and

6-Ethyl-5-{4-[(4-nitrobenzyl)amino]phenyl}pyrimidine-2,4-diamine.

10

5

10

15

- 6. A pharmaceutical composition comprising a therapeutically effective amount of a compound of formula (I) and a pharmaceutically suitable carrier.
- 7. A method of treating a disorder regulated by ghrelin receptors in a mammal, comprising administring of a compound of formula (I).
- 8. The method according to claim 7 wherein the disorder is a member selected from the group consisting of anorexia, cancer cachexia, eating disorders, age-related decline in body composition, weight gain, obesity, and diabetes mellitus.
- 9. A method of treating a disorder regulated by ghrelin receptors in a mammal comprising administering to the mammal a therapeutically effective amount of a compound of formula (II)

or a therapeutically suitable salt or prodrug thereof, wherein

 $R_{23}$  is a member selected from the group consisting of hydrogen, alkyl, haloalkyl, cyano, and  $(NR_{25}R_{26})$ carbonyl;

R<sub>24</sub> is a member selected from the group consisting of alkenyl, alkenyloxy, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkylcarbonyl, alkylcarbonylalkyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, arylalkyl, arylalkoxy, arylalkoxyalkyl, arylalkyl, arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkenyl, cycloalkenylalkoxy,

cycloalkenylalkoxyalkyl, cycloalkenylalkyl, cycloalkenylalkylthio, cycloalkenylalkylthioalkyl, cycloalkenyloxy, cycloalkenyloxyalkyl, cycloalkenylthio, cycloalkenylthioalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, cycloalkylalkylthio, cycloalkylalkylthioalkyl, cycloalkyloxy, cycloalkylalkylthio, cycloalkylalkylthioalkyl, formyl, formylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkylthioalkyl, heteroarylalkyl, heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heterocyclealkoxy, heterocyclealkoxyalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>27</sub>R<sub>28</sub>, (NR<sub>27</sub>R<sub>28</sub>)alkyl, (NR<sub>27</sub>R<sub>28</sub>)carbonyl, and (NR<sub>27</sub>R<sub>28</sub>)sulfonyl;

20

25

30

35

40

45

R<sub>25</sub> and R<sub>26</sub> are each independently a member selected from the group consisting of hydrogen, alkyl, and alkylcarbonyl;

 $R_{27}$  and  $R_{28}$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, arylalkylthioalkyl, arylalkylthioalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, cycloalkyl, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylalkyl, formyl, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkyl, heteroarylalkyl, heterocyclealkyl, heterocyclealkyl, heterocyclealkyl, heterocyclearbonyl,  $(NZ_{23}Z_{24})$ alkyl, and  $(NZ_{23}Z_{24})$ carbonyl;

Z<sub>23</sub> and Z<sub>24</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl;

R<sub>A20</sub>, R<sub>A21</sub>, R<sub>A22</sub>, and R<sub>A23</sub> are each independently a member selected from the group consisting of hydrogen, alkenyl, alkenyloxy, alkoxy, alkoxyalkoxy, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylcarbonyloxy, alkylsulfinyl, alkylsulfinyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylsulfonyl, alkylthio,

alkylthioalkyl, alkynyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, formyl, haloalkoxy, haloalkyl, halogen, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>30</sub>R<sub>31</sub>, (NR<sub>30</sub>R<sub>31</sub>)alkyl, (NR<sub>30</sub>R<sub>31</sub>)carbonyl, and (NR<sub>30</sub>R<sub>31</sub>)sulfonyl; and

R<sub>30</sub> and R<sub>31</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, alkoxysulfonyl, alkylsulfonyl, aryl, arylalkyl, and formyl.

10. A method of treating a disorder regulated by ghrelin receptors in a mammal comprising administering to the mammal a therapeutically effective amount of a compound of formula (IIa)

$$H_2N$$
 $N$ 
 $R_{23}$ 
 $(IIa),$ 

or a therapeutically suitable salt or prodrug thereof, wherein

50

5

10

15

20

 $R_{23}$  is a member selected from the group consisting of hydrogen, alkyl, haloalkyl, cyano, and (NR<sub>25</sub>R<sub>26</sub>)carbonyl;

R<sub>24</sub> is a member selected from the group consisting of alkenyl, alkenyloxy, alkenyloxyalkyl, alkoxyalkoxy, alkoxyalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkoxysulfonyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfinylalkyl, alkylsulfonyl, alkylsulfonylalkyl, alkylthio, alkylthioalkyl, alkynyloxy, alkynyloxyalkyl, arylalkoxy, arylalkoxyalkyl, arylalkyl, arylalkylthio, arylalkylthioalkyl, aryloxy, aryloxyalkyl, arylthio, arylthioalkyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkenyl, cycloalkenylalkoxy, cycloalkenylalkoxyalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkenylalkyl, cycloalkylalkyl, cycloalkylalkyl, cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkoxy, cycloalkylalkyl, cycloalkylalkyl, cycloalkylalkylthio, cycloalkylalkyl, formyl, formylalkyl, haloalkoxy, haloalkyl, halogen, heteroaryl, heteroarylalkoxy, heteroarylalkoxyalkyl, heteroarylalkylthio,

heteroarylalkylthioalkyl, heteroaryloxy, heteroaryloxyalkyl, heteroarylthio, heteroarylthioalkyl, heterocycle, heterocyclealkoxy, heterocyclealkoxyalkyl, heterocyclealkylthio, heterocyclealkylthioalkyl, heterocycleoxy, heterocycleoxyalkyl, heterocyclethio, heterocyclethioalkyl, hydroxy, hydroxyalkyl, mercapto, nitro, -NR<sub>27</sub>R<sub>28</sub>, (NR<sub>27</sub>R<sub>28</sub>)alkyl, (NR<sub>27</sub>R<sub>28</sub>)carbonyl, and (NR<sub>27</sub>R<sub>28</sub>)sulfonyl;

25

30

35

40

R<sub>25</sub> and R<sub>26</sub> are each independently a member selected from the group consisting of hydrogen, alkyl, and alkylcarbonyl;

 $R_{27}$  and  $R_{28}$  are each independently a member selected from the group consisting of hydrogen, alkoxyalkyl, alkoxyalkylcarbonyl, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, alkylthioalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, arylalkyl, cycloalkyl, cycloalkylalkoxyalkyl, cycloalkylalkyl, cycloalkylalkyl, formyl, heteroarylalkoxyalkyl, heteroarylalkyl, heteroarylalkyl, heteroarylalkyl, heterocyclealkyl, heterocyclearbonyl,  $(NZ_{23}Z_{24})$ alkyl, and  $(NZ_{23}Z_{24})$ carbonyl; and

Z<sub>23</sub> and Z<sub>24</sub> are each independently a member selected from the group consisting of hydrogen, alkoxycarbonyl, alkoxysulfonyl, alkyl, alkylcarbonyl, alkylsulfonyl, aryl, arylalkyl, arylcarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylcarbonyl, formyl, heteroaryl, heteroarylalkyl, heteroarylcarbonyl, heterocycle, heterocyclealkyl, and heterocyclecarbonyl.

- 11. A pharmaceutical composition comprising a therapeutically effective amount of a compound of formula (II) and a pharmaceutically suitable carrier.
- 12. The method according to claim 9 wherein the disorder is a member selected from the group consisting of anorexia, cancer cachexia, eating disorders, age-related decline in body composition, weight gain, obesity, and diabetes mellitus.